



MATERIAL SAFETY DATA SHEET

Material Safety Data Sheet

Date Prepared: 1-01-11 By: LMA

Identity and Manufacturer's Information

Name: Liquid Performance Premium Spray Cleaner Polish

MSDS #: 507700332

Manufactured by: Liquid Performance Distributing, Inc.

850 State St

Rocky Mount, VA 24151

Emergency #'s: (800) 217-7435 (540) 489-2066

Information Calls: (904) 388-8732

DOT Emergency Response #: (800) 424-8300

NFPA Rating

Health: 1

Flammability: 3

Reactivity: 0

Special: None

HMIS Rating

Health: 1

Flammability: 3

Reactivity: 0

Personal Protection: 9

Section 1: Material Identification and Information

Components – Chemical Names and Common Names

Petroleum Distillate

Aliphatic Petroleum Distillate

Isobutane/Propane Blend (propellant)

Section 2: Physical/Chemical Characteristics

Boiling Point: 300-580 Deg. F

Vapor Pressure: PSIG @ 70 Deg., Aerosols: 80 max

Vapor Density: Air = 1, N/E

Solubility in Water: ???

Appearance/Odor: tan color, slight solvent odor

Specific Gravity:

Vapor Pressure: N/E

Evaporation Ratio: N/E

Water Reactive: No

VDC: 47.5% (by weight)

Section 3: Fire and Explosion Hazard Data

Extremely Flammable: Do not expose aerosols to temperatures above 120 Deg. F, or the container may rupture. Vapors are heavier than air and may accumulate in low or inadequately ventilated areas. Vapors may travel along the ground to be ignited on locations distant from handling site. Flashback or flame to the handling site may occur.

Extinguisher Media: Foam dry chemical, use water spray to cool exposed surfaces.

Section 4: Reactivity Hazard Data

Stability: Stable

Hazardous Pulverization: will not occur

Incompatibility (materials to avoid): Strong Odorizes

Conditions to avoid: Open flame, ???, heat, sparks

Hazardous Decomposition Products: Includes, but not limited to, smoke, flames, carbon dioxide, carbon monoxide, various hydrocarbons

Section 5: Health Hazard Data

Primary Routes of Entry: Inhalation, Skin Absorption, Eye

Acute Effects

Inhalation: May cause headache, dizziness, asphyxia, anesthetic effects (CNS depression) and possible unconsciousness

Eye Contact: May cause irritation.

Skin Contact: May irritate and/or cause dermatitis.

Ingestion: Nausea, Vomiting, Diarrhea, possible bio chemical pneumonitis if aspirated into lungs

Chronic Effects

None Known

Medical conditions Generally Aggravated by Exposure

May aggravate existing eye, skin or upper respiratory conditions.

Emergency First Aid Procedures

Eye contact: Flush with water for at least 15 minutes. If irritated, seek medical attention.

Skin contact: Remove contaminated clothing, launder before reuse. Wash with soap and water. If irritated, seek medical attention.

Inhalation: Remove to fresh air, resuscitate if necessary. Administer oxygen if treating is difficulty. Seek medical attention if necessary.

Ingestion: DO NOT INDUCE VOMITING. Seek immediate medical attention.

Section 6: Control and Protective Measures

Respiratory Protection (specific type): if vapor concentration exceeds TLV, use respirator approved by MSHA/NIOSH.

Protective Gloves: Disposable ??? gloves suggested

Eye Protection: Safety glasses recommended

Ventilation Requirements: Adequate ventilation to keep vapor concentrate below TLV.

Other Protective Clothing & Equipment: Eyewash station, explosion proof local exhaust if conditions of use allow vapors to accumulate.

Hygienic Work Practices: Do not eat, drink or smoke in work areas. Wash hands thoroughly after handling.

Section 7: Precautions for Safe Handling and Use

Steps to be Taken if Material is Spilled or Released: Absorb spilled liquid with suitable medium. Do NOT flush to sewers or drains. Dispose according to local state and federal regulations.

Waste Disposal Methods: Aerosol cans, when vented to atmospheric pressure through normal use, pose no disposal harm.

Precautions to be Taken in Handling and Storage: Do not puncture or incinerate containers. Do not store at temperature above 120 Degrees F.

Other Precautions and/or Special Hazards: KEEP OUT OF REACH OF CHILDREN. Read and follow all label directions. Avoid breathing vapors. Remove ignition sources. Avoid food contamination.